

ILLEGIB

Approved For Release 2001/06/09 : CIA-RDP78T05439A000300250001-4

Approved For Release 2001/06/09 : CIA-RDP78T05439A000300250001-4

~~TOP SECRET~~

Copy

2 Pages


NPIC/R-129/64

February 1964

PHOTOGRAPHIC INTERPRETATION REPORT

Declass Review by NIMA / DoD

BAYRAM-ALI IRBM COMPLEX, USSR



CIA




DIA

Handle Via **TALENT - KEYHOLE** Control Only

WARNING

This document contains classified information affecting the national security of the United States within the meaning of the espionage laws U. S. Code Title 18, Sections 793 and 794. The law prohibits its transmission or the revelation of its contents in any manner to an unauthorized person, as well as its use in any manner prejudicial to the safety or interest of the United States or for the benefit of any foreign government to the detriment of the United States. It is to be seen only by personnel especially indoctrinated and authorized to receive TALENT-KEYHOLE information. Its security must be maintained in accordance with KEYHOLE and TALENT regulations.

NATIONAL PHOTOGRAPHIC INTERPRETATION CENTER

~~TOP SECRET~~

GROUP 1
Excluded from automatic
downgrading and declassification

TOP SECRET RUFF

NPIC/R-129/64

BAYRAM-ALI IRBM COMPLEX, USSR

LAUNCH AREA NO 1 (TYPE III)

COORDS: 37-46-00N 62-12-00E

BE NO: [REDACTED]

ASSOC AREAS: None

TDI NAME: Bayram-Ali Launch Site

LOCATION: 9 nm N of Bayram-Ali

CONTROL BLDGS: Two (approx 140' x 60')--one centrally located between each pair of pads.

OTHER BLDG: One drive-through possible bldg (200' x 75') appears to be split-level with the southern half higher than the northern and is located N of the inner pad of the eastern pair of launch pads.

Launch Site

TERRAIN: Hilly

VEGETATION: Sparse (desert oasis)

SECURITY: Double fence

PADS: Four elongated pads (size undetermined) with 750' separations and oriented on an azimuth of 185°. One small bldg (55' x 55') at each pad. Four bldgs 125' x 50'--one located between each pair of pads along the N and S crossroads.

READY BLDGS: Three earth-mounded drive-through type (200' x 75'). One earth-mounded drive-in type (200' x 75').

Site Support Facility

TECHNICAL SECTION: Located approx 1,580' NNE of the launch site and contains 2 parallel drive-through possible bldgs (140' x 45') and one small bldg, all positioned on a long loop road.

ADMINISTRATION & HOUSING SECTION: None





FIGURE 1. BAYRAM-ALI IRBM LAUNCH AREA NO 1.

25X1D

TOP SECRET RUFF

TOP SECRET RUFF

NPIC/R-129/64

Rail-to-Road Transfer Point

Probably at Bayram-Ali, 9 nm S of launch area.
Mary, 20 nm SW, having rail yard, is a possible transfer point.

Other MRBM/IRBM Activity Within 25 NM
Radius Of Launch Area

None.

REFERENCES

PHOTOGRAPHY: [REDACTED]
MAPS: AMS, N502-N3 41-10
USATC-200, Sheet 0337-12AL

25X1D

TOP SECRET RUFF

